

RFC 3174 (RFC3174)

Comment on RFC 3174  
RFC 3174 - US Secure Hash Algorithm 1 (SHA1)

Network Working Group  
Request for Comments: 3174  
Category: Informational

D. Eastlake, 3rd  
Motorola  
P. Jones  
Cisco Systems  
September 2001

## US Secure Hash Algorithm 1 (SHA1)

### **Status of this Memo**

This memo provides information for the Internet community. It does not specify an Internet standard of any kind. Distribution of this memo is unlimited.

### **Copyright Notice**

Copyright (C) The Internet Society (2001). All Rights Reserved.

### **Abstract**

The purpose of this document is to make the SHA-1 (Secure Hash Algorithm 1) hash algorithm conveniently available to the Internet community. The United States of America has adopted the SHA-1 hash algorithm described herein as a Federal Information Processing Standard. Most of the text herein was taken by the authors from FIPS 180-1. Only the C code implementation is "original".

### **Acknowledgements**

Most of the text herein was taken from [FIPS 180-1]. Only the C code implementation is "original" but its style is similar to the previously published MD4 and MD5 RFCs [RFCs 1320, 1321].

The SHA-1 is based on principles similar to those used by Professor Ronald L. Rivest of MIT when designing the MD4 message digest algorithm [MD4] and is modeled after that algorithm [RFC 1320]. Useful comments from the following, which have been incorporated herein, are gratefully acknowledged:

Tony Hansen  
Garrett Wollman

## Table of Contents

1	Overview of Contents	3
2	Definitions of Bit Strings and Integers	4
3	Operations on Words	5
4	Message Padding	6
5	Functions and Constants Used	7
6	Computing the Message Digest	8
6.1	Method 1	8
6.2	Method 2	9
7	C Code	10
7.1	.h file	11
7.2	.c file	12
7.3	Test Driver	18
8	Security Considerations	20
9	References	20
10	Authors' Addresses	21
11	Full Copyright Statement	22
12	Acknowledgement	23
13	Comment on RFC 3174	23

## 1. Overview of Contents

NOTE: The text below is mostly taken from [FIPS 180-1] and assertions therein of the security of SHA-1 are made by the US Government, the author of [FIPS 180-1], and not by the authors of this document.

This document specifies a Secure Hash Algorithm, SHA-1, for computing a condensed representation of a message or a data file. When a message of any length  $< 2^{64}$  bits is input, the SHA-1 produces a 160-bit output called a message digest. The message digest can then, for example, be input to a signature algorithm which generates or verifies the signature for the message. Signing the message digest rather than the message often improves the efficiency of the process because the message digest is usually much smaller in size than the message. The same hash algorithm must be used by the verifier of a digital signature as was used by the creator of the digital signature. Any change to the message in transit will, with very high probability, result in a different message digest, and the signature will fail to verify.

The SHA-1 is called secure because it is computationally infeasible to find a message which corresponds to a given message digest, or to find two different messages which produce the same message digest. Any change to a message in transit will, with very high probability, result in a different message digest, and the signature will fail to verify.

Section 2 below defines the terminology and functions used as building blocks to form SHA-1.

## 2. Definitions of Bit Strings and Integers

The following terminology related to bit strings and integers will be used:

a. A hex digit is an element of the set  $\{0, 1, \dots, 9, A, \dots, F\}$ . A hex digit is the representation of a 4-bit string. Examples:  $7 = 0111$ ,  $A = 1010$ .

b. A word equals a 32-bit string which may be represented as a sequence of 8 hex digits. To convert a word to 8 hex digits each 4-bit string is converted to its hex equivalent as described in (a) above. Example:

	1010	0001	0000	0011	1111	1110	0010	0011
=0x	A	1	0	3	F	E	2	3

c. An integer between 0 and  $2^{32} - 1$  inclusive may be represented as a word. The least significant four bits of the integer are represented by the right-most hex digit of the word representation. Example: the integer  $291 = 2^8 + 2^5 + 2^1 + 2^0 = 256 + 32 + 2 + 1$  is represented by the hex word, 0000123.

If  $z$  is an integer,  $0 \leq z < 2^{64}$ , then  $z = (2^{32})x + y$  where  $0 \leq x < 2^{32}$  and  $0 \leq y < 2^{32}$ . Since  $x$  and  $y$  can be represented as words  $X$  and  $Y$ , respectively,  $z$  can be represented as the pair of words  $(X, Y)$ .

d. Block = 512-bit string. A block (e.g., B) may be represented as a sequence of 16 words.

### 3. Operations on Words

The following logical operators will be applied to words:

a. Bitwise logical word operations

X AND Y = bitwise logical "and" of X and Y.  
X OR Y = bitwise logical "inclusive-or" of X and Y.  
X XOR Y = bitwise logical "exclusive-or" of X and Y.  
NOT X = bitwise logical "complement" of X.

Example:       01101100101110011101001001111011  
XOR   01100101110000010110100110110111  
=       00001001011110001011101111001100

b. The operation  $X + Y$  is defined as follows: words X and Y represent integers x and y, where  $0 \leq x < 2^{32}$  and  $0 \leq y < 2^{32}$ . For positive integers n and m, let  $n \bmod m$  be the remainder upon dividing n by m. Compute  $z = (x + y) \bmod 2^{32}$ . Then  $0 \leq z < 2^{32}$ . Convert z to a word, Z, and define  $Z = X + Y$ .

c. The circular left shift operation  $S^n(X)$ , where X is a word and n is an integer with  $0 \leq n < 32$ , is defined by  $S^n(X) = (X \ll n) \text{ OR } (X \gg 32-n)$ .

In the above,  $X \ll n$  is obtained as follows: discard the left-most n bits of X and then pad the result with n zeroes on the right (the result will still be 32 bits).  $X \gg n$  is obtained by discarding the right-most n bits of X and then padding the result with n zeroes on the left. Thus  $S^n(X)$  is equivalent to a circular shift of X by n positions to the left.

#### 4. Message Padding

SHA-1 is used to compute a message digest for a message or data file that is provided as input. The message or data file should be considered to be a bit string. The length of the message is the number of bits in the message (the empty message has length 0). If the number of bits in a message is a multiple of 8, for compactness we can represent the message in hex. The purpose of message padding is to make the total length of a padded message a multiple of 512. SHA-1 sequentially processes blocks of 512 bits when computing the message digest. The following specifies how this padding shall be performed. As a summary, a "1" followed by m "0"s followed by a 64-bit integer are appended to the end of the message to produce a padded message of length  $512 * n$ . The 64-bit integer is the length of the original message. The padded message is then processed by the SHA-1 as n 512-bit blocks.

Suppose a message has length  $l < 2^{64}$ . Before it is input to the SHA-1, the message is padded on the right as follows:

- a. "1" is appended. Example: if the original message is "01010000", this is padded to "010100001".
- b. "0"s are appended. The number of "0"s will depend on the original length of the message. The last 64 bits of the last 512-bit block are reserved for the length l of the original message. Example: Suppose the original message is the bit string

```
01100001 01100010 01100011 01100100 01100101
```

After step (a) this gives

```
01100001 01100010 01100011 01100100 01100101 1
```

Since  $l = 40$ , the number of bits in the above is 41 and 407 "0"s are appended, making the total now 448.

This gives (in hex)

```
61626364 65800000 00000000 00000000
00000000 00000000 00000000 00000000
00000000 00000000 00000000 00000000
00000000 00000000
```

- c. Obtain the 2-word representation of l, the number of bits in the original message. If  $l < 2^{32}$  then the first word is all zeroes. Append these two words to the padded message. Example: Suppose the original message is as in (b). Then  $l = 40$  (note that l is computed before any padding). The two-word representation of 40 is hex 00000000 00000028. Hence the final padded message is hex

```
61626364 65800000 00000000 00000000
00000000 00000000 00000000 00000000
00000000 00000000 00000000 00000000
00000000 00000000 00000000 00000028
```

The padded message will contain  $16 * n$  words for some  $n > 0$ . The padded message is regarded as a sequence of n blocks  $M(1)$ ,  $M(2)$ , first characters (or bits) of the message.

## 5. Functions and Constants Used

A sequence of logical functions  $f(0), f(1), \dots, f(79)$  is used in SHA-1. Each  $f(t)$ ,  $0 \leq t \leq 79$ , operates on three 32-bit words  $B, C, D$  and produces a 32-bit word as output.  $f(t;B,C,D)$  is defined as follows: for words  $B, C, D$ :

$$\begin{aligned} f(t;B,C,D) &= (B \text{ AND } C) \text{ OR } ((\text{NOT } B) \text{ AND } D) && (0 \leq t \leq 19) \\ f(t;B,C,D) &= B \text{ XOR } C \text{ XOR } D && (20 \leq t \leq 39) \\ f(t;B,C,D) &= (B \text{ AND } C) \text{ OR } (B \text{ AND } D) \text{ OR } (C \text{ AND } D) && (40 \leq t \leq 59) \\ f(t;B,C,D) &= B \text{ XOR } C \text{ XOR } D && (60 \leq t \leq 79). \end{aligned}$$

A sequence of constant words  $K(0), K(1), \dots, K(79)$  is used in the SHA-1. In hex these are given by:

$$\begin{aligned} K(t) &= \mathbf{0x5A827999} && (0 \leq t \leq 19) \\ K(t) &= \mathbf{0x6ED9EBA1} && (20 \leq t \leq 39) \\ K(t) &= \mathbf{0x8F1BBCDC} && (40 \leq t \leq 59) \\ K(t) &= \mathbf{0xCA62C1D6} && (60 \leq t \leq 79). \end{aligned}$$

## 6. Computing the Message Digest

The methods given in 6.1 and 6.2 below yield the same message digest. Although using method 2 saves sixty-four 32-bit words of storage, it is likely to lengthen execution time due to the increased complexity of the address computations for the  $\{ W[t] \}$  in step (c). There are other computation methods which give identical results.

### 6.1 Method 1

The message digest is computed using the message padded as described in section 4. The computation is described using two buffers, each consisting of five 32-bit words, and a sequence of eighty 32-bit words. The words of the first 5-word buffer are labeled A,B,C,D,E. The words of the second 5-word buffer are labeled H0, H1, H2, H3, H4. The words of the 80-word sequence are labeled W(0), W(1),..., W(79). A single word buffer TEMP is also employed.

To generate the message digest, the 16-word blocks M(1), M(2),...,M(n) defined in section 4 are processed in order. The processing of each M(i) involves 80 steps. Before processing any blocks, the H's are initialized as follows: in hex,

```
H0 = 0x67452301
H1 = 0xEFCDAB89
H2 = 0x98BADCFE
H3 = 0x10325476
H4 = 0xC3D2E1F0
```

Now M(1), M(2), ... , M(n) are processed. To process M(i), we proceed as follows:

- a. Divide M(i) into 16 words W(0), W(1), ... , W(15), where W(0) is the left-most word.
- b. For  $t = 16$  to 79 let  $W(t) = S^1(W(t-3) \text{ XOR } W(t-8) \text{ XOR } W(t-14) \text{ XOR } W(t-16))$ .
- c. Let  $A = H0$ ,  $B = H1$ ,  $C = H2$ ,  $D = H3$ ,  $E = H4$ .
- d. For  $t = 0$  to 79 do  
     $TEMP = S^5(A) + f(t;B,C,D) + E + W(t) + K(t)$ ;  
     $E = D$ ;  $D = C$ ;  $C = S^{30}(B)$ ;  $B = A$ ;  $A = TEMP$ ;
- e. Let  $H0 = H0 + A$ ,  $H1 = H1 + B$ ,  $H2 = H2 + C$ ,  $H3 = H3 + D$ ,  $H4 = H4 + E$ .

After processing M(n), the message digest is the 160-bit string represented by the 5 words (H0 H1 H2 H3 H4).

## 6.2 Method 2

The method above assumes that the sequence  $W(0), \dots, W(79)$  is implemented as an array of eighty 32-bit words. This is efficient from the standpoint of minimization of execution time, since the addresses of  $W(t-3), \dots, W(t-16)$  in step (b) are easily computed. If space is at a premium, an alternative is to regard  $\{ W(t) \}$  as a circular queue, which may be implemented using an array of sixteen 32-bit words  $W[0], \dots, W[15]$ . In this case, in hex let  $MASK = 0000000F$ . Then processing of  $M(i)$  is as follows:

- a. Divide  $M(i)$  into 16 words  $W[0], \dots, W[15]$ , where  $W[0]$  is the left-most word.
- b. Let  $A = H_0, B = H_1, C = H_2, D = H_3, E = H_4$ .
- c. For  $t = 0$  to 79 do  
     $s = t \text{ AND } MASK$ ;  
    if ( $t \geq 16$ )  
         $W[s] = S^1(W[(s + 13) \text{ AND } MASK] \text{ XOR } W[(s + 8) \text{ AND } MASK]$   
             $\text{ XOR } W[(s + 2) \text{ AND } MASK] \text{ XOR } W[s])$ ;  
         $TEMP = S^5(A) + f(t; B, C, D) + E + W[s] + K(t)$ ;  
         $E = D; D = C; C = S^{30}(B); B = A; A = TEMP$ ;
- d. Let  $H_0 = H_0 + A, H_1 = H_1 + B, H_2 = H_2 + C, H_3 = H_3 + D, H_4 = H_4 + E$ .

## 7. C Code

Below is a demonstration implementation of SHA-1 in C. Section 7.1 contains the header file, 7.2 the C code, and 7.3 a test driver.

## 7.1 .h file

```
//sha1.h
//
// Description:
// This is the header file for code which implements the Secure
// Hashing Algorithm 1 as defined in FIPS PUB 180-1 published
// April 17, 1995.
//
// Many of the variable names in this code, especially the
// single character names, were used because those were the names
// used in the publication.
// Please read the file sha1.c for more information.

#ifndef _SHA1_H
#define _SHA1_H
#include <stdint.h>

// If you do not have the ISO standardstdint.h header file, then you
// must typedef the following:
// name meaning
// -----
// uint32_t unsigned 32 bit integer
// uint8_t unsigned 8 bit integer (i.e., unsigned char)
// int_least16_t integer of >= 16 bits
#ifndef _SHA_enum_
#define _SHA_enum_
enum{
    shaSuccess = 0,
    shaNull, /* Null pointer parameter */
    shaInputTooLong, /* input data too long */
    shaStateError /* called Input after Result */
};
#endif
#define SHA1HashSize 20

//This structure will hold context information for the SHA-1
//hashing operation
typedef struct SHA1Context{
    uint32_t Intermediate_Hash[SHA1HashSize/4]; //Message Digest
    uint32_t Length_Low; //Message length in bits
    uint32_t Length_High; //Message length in bits
    int_least16_t Message_Block_Index; //Index into msg block array
    uint8_t Message_Block[64]; //512-bit message blocks
    int Computed; //Is the digest computed?
    int Corrupted; //Is the digest corrupted?
} SHA1Context;

//Function Prototypes
int SHA1Reset( SHA1Context *);
int SHA1Input( SHA1Context *,const uint8_t *,unsigned int);
int SHA1Result( SHA1Context *,uint8_t Message_Digest[SHA1HashSize]);
#endif
```

## 7.2 .c file

```
//sha1.c
//
// Description:
//   This file implements the Secure Hashing Algorithm 1 as
//   defined in FIPS PUB 180-1 published April 17, 1995.
//
//   The SHA-1, produces a 160-bit message digest for a given
//   data stream. It should take about 2**n steps to find a
//   message with the same digest as a given message and
//   2**(n/2) to find any two messages with the same digest,
//   when n is the digest size in bits. Therefore, this
//   algorithm can serve as a means of providing a
//   "fingerprint" for a message.
//
// Portability Issues:
//   SHA-1 is defined in terms of 32-bit "words". This code
//   uses <stdint.h> (included via "sha1.h" to define 32 and 8
//   bit unsigned integer types. If your C compiler does not
//   support 32 bit unsigned integers, this code is not
//   appropriate.
//
// Caveats:
//   SHA-1 is designed to work with messages less than 2^64 bits
//   long. Although SHA-1 allows a message digest to be generated
//   for messages of any number of bits less than 2^64, this
//   implementation only works with messages with a length that is
//   a multiple of the size of an 8-bit character.

#include "sha1.h"

// Define the SHA1 circular left shift macro
#define SHA1CircularShift(bits,word) \
    (((word) << (bits)) | ((word) >> (32-(bits))))

void SHA1PadMessage(SHA1Context *); //Local Function Prototyptes
void SHA1ProcessMessageBlock(SHA1Context *);

// SHA1Reset
//
// Description:
//   This function will initialize the SHA1Context in preparation
//   for computing a new SHA1 message digest.
//
// Parameters:
//   context: [in/out]
//           The context to reset.
//
// Returns:
//   sha Error Code.

int SHA1Reset(SHA1Context *context){
if (!context)
{
return shaNull;
}
context->Length_Low = 0;
context->Length_High = 0;
context->Message_Block_Index = 0;

context->Intermediate_Hash[0] = 0x67452301;
context->Intermediate_Hash[1] = 0xEFCDAB89;
context->Intermediate_Hash[2] = 0x98BADCFE;
context->Intermediate_Hash[3] = 0x10325476;
context->Intermediate_Hash[4] = 0xC3D2E1F0;

context->Computed = 0;
context->Corrupted = 0;

return shaSuccess;
}
```

```

//SHA1Result
//
// Description:
//     This function will return the 160-bit message digest into the
//     Message_Digest array provided by the caller.
//     NOTE: The first octet of hash is stored in the 0th element,
//           the last octet of hash in the 19th element.
//
// Parameters:
//     context: [in/out]
//           The context to use to calculate the SHA-1 hash.
//     Message_Digest: [out]
//           Where the digest is returned.
//
// Returns:
//     sha Error Code.

int SHA1Result( SHA1Context *context, uint8_t Message_Digest[SHA1HashSize]){
int i;

if (!context || !Message_Digest)
{
return shaNull;
}

if (context->Corrupted)
{
return context->Corrupted;
}

if (!context->Computed)
{
SHA1PadMessage(context);
for(i=0; i<64; ++i)
{
context->Message_Block[i] = 0; //message may be sensitive, clear it
}
context->Length_Low = 0; //...and clear length
context->Length_High = 0;
context->Computed = 1;
}

for(i = 0; i < SHA1HashSize; ++i)
{
Message_Digest[i]=context->Intermediate_Hash[i>>2]>> 8 * ( 3 - ( i & 0x03 ) );
}

return shaSuccess;
}

```

```

//SHA1Input
//
// Description:
//   This function accepts an array of octets as the next portion
//   of the message.
//
// Parameters:
//   context: [in/out]
//     The SHA context to update
//   message_array: [in]
//     An array of characters representing the next portion of
//     the message.
//   length: [in]
//     The length of the message in message_array
//
// Returns:
//   sha Error Code.

int SHA1Input(SHA1Context*context,const uint8_t*message_array,unsigned length){
if (!length)
{
return shaSuccess;
}

if (!context || !message_array)
{
return shaNull;
}

if (context->Computed)
{
context->Corrupted = shaStateError;
return shaStateError;
}

if (context->Corrupted)
{
return context->Corrupted;
}

while(length-- && !context->Corrupted)
{
context->Message_Block[context->Message_Block_Index++] =*message_array & 0xFF);
context->Length_Low += 8;
if (context->Length_Low == 0)
{
context->Length_High++;
if (context->Length_High == 0)
{
context->Corrupted = 1;          //Message is too long
}
}
if (context->Message_Block_Index == 64)
{
SHA1ProcessMessageBlock(context);
}
message_array++;
}

return shaSuccess;
}

```

```

// SHA1ProcessMessageBlock
//
// Description:
//   This function will process the next 512 bits of the message
//   stored in the Message_Block array.
//
// Parameters:
//   None.
//
// Returns:
//   Nothing.
//
// Comments:
//   Many of the variable names in this code, especially the
//   single character names, were used because those were the
//   names used in the publication.

void SHA1ProcessMessageBlock(SHA1Context *context){
const uint32_t K[] ={0x5A827999,      //Constants defined in SHA-1
                    0x6ED9EBA1,
                    0x8F1BBCDC,
                    0xCA62C1D6};

int          t;                //Loop counter
uint32_t    temp;             //Temporary word value
uint32_t    W[80];           //Word sequence
uint32_t    A, B, C, D, E;    //Word buffers

//Initialize the first 16 words in the array W
for(t = 0; t < 16; t++)
{
    W[t] = context->Message_Block[t * 4] << 24;
    W[t] |= context->Message_Block[t * 4 + 1] << 16;
    W[t] |= context->Message_Block[t * 4 + 2] << 8;
    W[t] |= context->Message_Block[t * 4 + 3];
}

for(t = 16; t < 80; t++)
{
    W[t] = SHA1CircularShift(1,W[t-3] ^ W[t-8] ^ W[t-14] ^ W[t-16]);
}

A = context->Intermediate_Hash[0];
B = context->Intermediate_Hash[1];
C = context->Intermediate_Hash[2];
D = context->Intermediate_Hash[3];
E = context->Intermediate_Hash[4];

for(t = 0; t < 20; t++)
{
    temp = SHA1CircularShift(5,A) + ((B & C) | ((~B) & D)) + E + W[t] + K[0];
    E = D;
    D = C;
    C = SHA1CircularShift(30,B);
    B = A;
    A = temp;
}

for(t = 20; t < 40; t++)
{
    temp = SHA1CircularShift(5,A) + (B ^ C ^ D) + E + W[t] + K[1];
    E = D;
    D = C;
    C = SHA1CircularShift(30,B);
    B = A;
    A = temp;
}

for(t = 40; t < 60; t++)
{
    temp = SHA1CircularShift(5,A)+((B & C) | (B & D) | (C & D)) + E + W[t] + K[2];
    E = D;
    D = C;
    C = SHA1CircularShift(30,B);
    B = A;
    A = temp;
}

```

```
for(t = 60; t < 80; t++)
{
temp = SHA1CircularShift(5,A) + (B ^ C ^ D) + E + W[t] + K[3];
E = D;
D = C;
C = SHA1CircularShift(30,B);
B = A;
A = temp;
}

context->Intermediate_Hash[0] += A;
context->Intermediate_Hash[1] += B;
context->Intermediate_Hash[2] += C;
context->Intermediate_Hash[3] += D;
context->Intermediate_Hash[4] += E;

context->Message_Block_Index = 0;
}
```

```

// SHA1PadMessage
//
// Description:
//   According to the standard, the message must be padded to an even
//   512 bits. The first padding bit must be a '1'. The last 64
//   bits represent the length of the original message. All bits in
//   between should be 0. This function will pad the message
//   according to those rules by filling the Message_Block array
//   accordingly. It will also call the ProcessMessageBlock function
//   provided appropriately. When it returns, it can be assumed that
//   the message digest has been computed.
//
// Parameters:
//   context: [in/out]
//     The context to pad
//   ProcessMessageBlock: [in]
//     The appropriate SHA*ProcessMessageBlock function
// Returns:
//   Nothing.

void SHA1PadMessage(SHA1Context *context){

// Check to see if the current message block is too small to hold
// the initial padding bits and length. If so, we will pad the
// block, process it, and then continue padding into a second
// block.
if (context->Message_Block_Index > 55)
{
context->Message_Block[context->Message_Block_Index++] = 0x80;
while(context->Message_Block_Index < 64)
{
context->Message_Block[context->Message_Block_Index++] = 0;
}
SHA1ProcessMessageBlock(context);
while(context->Message_Block_Index < 56)
{
context->Message_Block[context->Message_Block_Index++] = 0;
}
}
else
{
context->Message_Block[context->Message_Block_Index++] = 0x80;
while(context->Message_Block_Index < 56)
{
context->Message_Block[context->Message_Block_Index++] = 0;
}
}

//Store the message length as the last 8 octets
context->Message_Block[56] = context->Length_High >> 24;
context->Message_Block[57] = context->Length_High >> 16;
context->Message_Block[58] = context->Length_High >> 8;
context->Message_Block[59] = context->Length_High;
context->Message_Block[60] = context->Length_Low >> 24;
context->Message_Block[61] = context->Length_Low >> 16;
context->Message_Block[62] = context->Length_Low >> 8;
context->Message_Block[63] = context->Length_Low;

SHA1ProcessMessageBlock(context);
}

```

### 7.3 Test Driver

The following code is a main program test driver to exercise the code in sha1.c.

```
// sha1test.c
//
// Description:
//   This file will exercise the SHA-1 code performing the three
//   tests documented in FIPS PUB 180-1 plus one which calls
//   SHA1Input with an exact multiple of 512 bits, plus a few
//   error test checks.
//
// Portability Issues:
//   None.
//
// test4 is exactly 512bits, which requires a block of just pad data
// test5 is an exact multiple of 512 bits, ie (32bytes x 8bits x 10sets)=5120 bits
// test6 is a really big (Relative to the others) message

#include <stdint.h>
#include <stdio.h>
#include <string.h>
#include "sha1.h"

// Define patterns for testing
#define TEST0    "" //empty message
#define TEST1    "abc"
#define TEST2    "The quick brown fox jumps over the lazy dog"
#define TEST3    "The quick brown fox jumps over the lazy cog"
#define TEST4    "abcdbcdecdefdefgefghfghighijhijkijkljklmklmnlmnomnopnopq"
#define TEST5    "01234567012345670123456701234567"
#define TEST6    "a"

char *testarray[7] = {TEST0, TEST1, TEST2, TEST3, TEST4, TEST5, TEST6};

//repeat the test string this number of times to create the finished message
long int repeatcount[7] = { 1, 1, 1, 1, 1, 20, 100000 };

//0, 2 and 3 are from the Wikipedia examples
char *resultarray[7] = {"DA 39 A3 EE 5E 6B 4B 0D 32 55 BF EF 95 60 18 90 AF D8 07 09",
                        "A9 99 3E 36 47 06 81 6A BA 3E 25 71 78 50 C2 6C 9C D0 D8 9D",
                        "2F D4 E1 C6 7A 2D 28 FC ED 84 9E E1 BB 76 E7 39 1B 93 EB 12",
                        "DE 9F 2C 7F D2 5E 1B 3A FA D3 E8 5A 0B D1 7D 9B 10 0D B4 B3",
                        "84 98 3E 44 1C 3B D2 6E BA AE 4A A1 F9 51 29 E5 E5 46 70 F1",
                        "DE A3 56 A2 CD DD 90 C7 A7 EC ED C5 EB B5 63 93 4F 46 04 52",
                        "34 AA 97 3C D4 C4 DA A4 F6 1E EB 2B DB AD 27 31 65 34 01 6F"};
```

```

int main(){
SHA1Context sha;
int i, j, err;
uint8_t Message_Digest[20];

//Perform SHA-1 tests
for(j = 0; j < 7; ++j)
{
printf("\nTest %d: %d, '%s'\n",j+1,repeatcount[j],testarray[j]);
err = SHA1Reset(&sha);
if (err)
{
fprintf(stderr, "SHA1Reset Error %d.\n", err );
break; /* out of for j loop */
}
for(i = 0; i < repeatcount[j]; ++i)
{
err = SHA1Input(&sha,(const unsigned char *)
testarray[j],strlen(testarray[j]));
if (err)
{
fprintf(stderr, "SHA1Input Error %d.\n", err );
break; //out of for i loop
}
}
err = SHA1Result(&sha, Message_Digest);
if (err)
{
fprintf(stderr,"SHA1Result Error %d, could not compute
message digest.\n", err );
}
else
{
printf("\t");
for(i = 0; i < 20 ; ++i)
{
printf("%02X ", Message_Digest[i]);
}
printf("\n");
}
printf("Should match:\n");
printf("\t%s\n", resultarray[j]);
}

//Test some error returns
err = SHA1Input(&sha,(const unsigned char *) testarray[1], 1);
printf ("\nError %d. Should be %d.\n", err, shaStateError );
err = SHA1Reset(0);
printf ("\nError %d. Should be %d.\n", err, shaNull );
return 0;
}

```

## 8. Security Considerations

This document is intended to provide convenient open source access by the Internet community to the United States of America Federal Information Processing Standard Secure Hash Function SHA-1 [FIPS180-1]. No independent assertion of the security of this hash function by the authors for any particular use is intended.

## 9. References

- [FIPS 180-1] "Secure Hash Standard", United States of American, National Institute of Science and Technology, Federal Information Processing Standard (FIPS) 180-1, April 1993.
- [MD4] "The MD4 Message Digest Algorithm," Advances in Cryptology - CRYPTO '90 Proceedings, Springer-Verlag, 1991, pp. 303-311.
- [RFC 1320] Rivest, R., "The MD4 Message-Digest Algorithm", RFC 1320, April 1992.
- [RFC 1321] Rivest, R., "The MD5 Message-Digest Algorithm", RFC 1321, April 1992.
- [RFC 1750] Eastlake, D., Crocker, S. and J. Schiller, "Randomness Requirements for Security", RFC 1750, December 1994.

## 10. Authors' Addresses

Donald E. Eastlake, 3rd  
Motorola  
155 Beaver Street  
Milford, MA 01757 USA

Phone: +1 508-634-2066 (h)  
+1 508-261-5434 (w)  
Fax: +1 508-261-4777  
EMail: Donald.Eastlake@motorola.com

Paul E. Jones  
Cisco Systems, Inc.  
7025 Kit Creek Road  
Research Triangle Park, NC 27709 USA

Phone: +1 919 392 6948  
EMail: paulej@packetizer.com

## **11. Full Copyright Statement**

Copyright (C) The Internet Society (2001). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## 12. Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.

## 13. Comment on RFC 3174

Comments about this RFC:

- \* RFC 3174: It is better to document like MD5: For each test input(string), a correct hash... by David Cai (9/11/2005)
- \* RFC 3174: I am working in Project to Improve SHA-1 to be not Easy to Attack,,,,I think I... by Mahmoud Maqableh - M5vip (1/2/2006)
- \* RFC 3174: If I have a string: hello all converted binary string length: 73 length of... by rag (10/9/2005)